

3-6200

Document No. 001

No Change In Class. ☐

☒ Declassified

~~SECRET~~

Class. Changed to: TS S C

~~SECURITY INFORMATION~~

Next Review Date: _____

14 January 1953

Auth.: HR 70-3

Date: 13 DEC 1970

By: DU

MEMORANDUM TO: Assistant Deputy Director/Administration

SUBJECT : Report on Central Intelligence Agency Participation
in the Air Raid Drill Staged by District of Columbia
Civil Defense Authorities on 12 December 1952

25X1A9a

1. Attached hereto is a detailed report by 25X1A9a
 covering Central Intelligence Agency participation in the
air raid drill held on 12 December 1952, along with a description of
the District of Columbia Civil Defense system and an explanation of
how we fit into it.

2. Set forth below is a brief summary of the most pertinent
points of the report:

a. The drill was held in all Government buildings in the
area between 1:50 p.m. and 2:15 p.m., pursuant to a Presidential Order
issued on 11 November 1952.

b. Reports of the chief wardens of all Agency buildings, plus
those of the members of the Security Patrol, and our own observations,
indicated that the drill was, in general, a success. Its principal
value was twofold: namely, it broke the ice and gave everyone a feeling
of awareness of air raid drills as a part of today's pattern of living
and, secondly, it pointed out to us the obstacles and deficiencies
which must be overcome in the process of providing adequate protection
to our personnel in event of actual enemy attack.

c. The time required for complete evacuation of each building,
from the instant of the signaling of red alert, varied from one to ten
minutes, depending principally upon the means of giving the alarm within
the building concerned. The over-all average time required for all of
our buildings was 3.75 minutes. These figures tend to lose their sig-
nificance, however, when it is considered that this drill was staged
at a time certain, which time was well known by all concerned for days
in advance of the sounding of the alarms. It is not a realistic index
of what will happen when an unannounced air raid drill is staged.

~~SECRET~~

d. It is believed that there should be one bell and light signal device (activated from the District of Columbia Civil Defense control post as part of their central alarm system) installed in every Central Intelligence Agency building. This will obviate the difficulty which resulted from having only four such devices (located in "I", "Q", Quarters "I", and Administration Buildings) in all of the Agency group, and, therefore, having to relay the alarm signal by telephone. The cost of installation of these devices is \$87.50 per building, with a maintenance and service charge of \$7.50 per month per building thereafter.

e. We are going to urge that the General Services Administration install electric bell fire alarms in those of our buildings which do not yet have them, in order to eliminate the confusion incident to using the horns as fire alarms in certain of the buildings when, as a matter of fact, they were installed for the original purpose of signaling air raids, and do, in fact, signal air raids in most of the buildings.

f. Police whistles will be issued to the wardens in all buildings for their use in case of power or mechanical failure of the electric horn systems. At the present time, only the wardens in those buildings which do not have horn systems are in possession of police whistles.

g. We are going to re-open the question with the Civil Defense Branch, General Services Administration, of adequacy of the shelter areas which they have designated within our buildings. Our observations during the practice air raid drill indicated that the space provided and protection afforded are not sufficient to be of proper avail in time of actual emergency.

h. We are studying the matter of having properly spaced, unannounced air raid drills from time to time in the future, either of our own accord or in coordination with city-wide drills staged by the Civil Defense Branch.

25X1A9a

[Redacted Signature Box]

Colonel, GSC
Assistant Deputy/Inspection & Security

Att: (1)

~~SECRET~~